

## **TABLE OF CONTENTS**

### **Conduction-Cooled, QCW, Vertical Diode Laser Stack**

**CS3.1-805.8-VO35.1-E9.1.10 TEST DATA**

**CS3.1-807.1-VO35.1-E9.1.10 TEST DATA**

**CS3.1-808.4-VO35.1-E9.1.10 TEST DATA**



**CS3.1-809.9-VO35.1-E9.1.10 TEST DATA**

**C3Y-935.7-VO51.1-E32.1.15 TEST DATA**

**C3Y-939.9-VO51.1-E32.1.15 TEST DATA**

# Example of CS3.1-805.8-VO35.1-E9.1.10

P ( 200 A)	1545,5 W	Wavelength (FWHM)	805,8 nm
I ( 1400,0 W)	181,1 A	Line width	3,1 nm
Threshold	17,3 A	Temperature	25,6 °C
Slope	9,28 W/A	Current	200,2 A
Overall efficiency	56,1 %	DutyCycle	1,000 %
UF	13,78 V	Frequency	50,0 Hz
UE	11,44 V		
Rs	12,9 mOhm		



© 2009 DILAS. All rights reserved. DILAS reserves the right to change products specifications without notice. For handling precautions, please reference the general handling instruction manual.

For complete details, please contact your local DILAS sales representative or visit our website at [www.DILAS.com](http://www.DILAS.com).



**Europe**  
DILAS Diodenlaser GmbH  
Galileo-Galilei-Straße 10  
55129 Mainz  
Germany  
Phone: +49 (6131) 9226 0  
Fax: +49 (6131) 9226 257  
Email: [sales@DILAS.de](mailto:sales@DILAS.de)

**North America**  
DILAS Diode Laser, Inc.  
9070 South Rita Road  
Suite 1500  
Tucson, AZ 85747  
Phone: +1 (520) 232-3484  
Fax: +1 (520) 232-3499  
Email: [sales@DILAS-INC.com](mailto:sales@DILAS-INC.com)

**Asia**  
DILAS Diodenlaser GmbH  
China Sales Office  
Room 206, Sunplus Technology, Bldg. 2  
No. 1077 Zu Chongzhi Road  
Hi-Tech Park, Shanghai 201203,  
P.R. China  
Phone: +86 (0) 21-6855-2216  
Fax: +86 (0) 21-5027-3793  
Email: [sales@dilas-china.com.cn](mailto:sales@dilas-china.com.cn)

# Example of CS3.1-807.1-VO35.1-E9.1.10

P ( 200 A)	1524,7 W	Wavelength (FWHM)	807,1 nm
I ( 1400,0 W)	183,3 A	Line width	3,1 nm
Threshold	17,0 A	Temperature	25,4 °C
Slope	9,27 W/A	Current	200,2 A
Overall efficiency	55,5 %	DutyCycle	2,000 %
UF	13,77 V	Frequency	100,0 Hz
UE	11,47 V		
Rs	12,5 mOhm		



©2009 DILAS. All rights reserved. DILAS reserves the right to change products specifications without notice. For handling precautions, please reference the general handling instruction manual.

For complete details, please contact your local DILAS sales representative or visit our website at [www.DILAS.com](http://www.DILAS.com).



**Europe**  
DILAS Diodenlaser GmbH  
Galileo-Galilei-Straße 10  
55129 Mainz  
Germany  
Phone: +49 (6131) 9226 0  
Fax: +49 (6131) 9226 257  
Email: [sales@DILAS.de](mailto:sales@DILAS.de)

**North America**  
DILAS Diode Laser, Inc.  
9070 South Rita Road  
Suite 1500  
Tucson, AZ 85747  
Phone: +1 (520) 232-3484  
Fax: +1 (520) 232-3499  
Email: [sales@DILAS-INC.com](mailto:sales@DILAS-INC.com)

**Asia**  
DILAS Diodenlaser GmbH  
China Sales Office  
Room 206, Sunplus Technology, Bldg. 2  
No. 1077 Zu Chongzhi Road  
Hi-Tech Park, Shanghai 201203,  
P.R. China  
Phone: +86 (0) 21-6855-2216  
Fax: +86 (0) 21-5027-3793  
Email: [sales@dilas-china.com.cn](mailto:sales@dilas-china.com.cn)

# Example of CS3.1-808.4-VO35.1-E9.1.10

P ( 200 A)	1489,9 W	Wavelength (FWHM)	808,4 nm
I ( 1400,0 W)	187,5 A	Line width	3,2 nm
Threshold	17,3 A	Temperature	25,2 °C
Slope	9,21 W/A	Current	200,3 A
Overall efficiency	54,6 %	DutyCycle	3,000 %
UF	13,67 V	Frequency	150,0 Hz
UE	11,51 V		
Rs	11,5 mOhm		



© 2009 DILAS. All rights reserved. DILAS reserves the right to change products specifications without notice. For handling precautions, please reference the general handling instruction manual.

For complete details, please contact your local DILAS sales representative or visit our website at [www.DILAS.com](http://www.DILAS.com).

**Europe**  
DILAS Diodenlaser GmbH  
Galileo-Galilei-Straße 10  
55129 Mainz  
Germany  
Phone: +49 (6131) 9226 0  
Fax: +49 (6131) 9226 257  
Email: [sales@DILAS.de](mailto:sales@DILAS.de)



**North America**  
DILAS Diode Laser, Inc.  
9070 South Rita Road  
Suite 1500  
Tucson, AZ 85747  
Phone: +1 (520) 232-3484  
Fax: +1 (520) 232-3499  
Email: [sales@DILAS-INC.com](mailto:sales@DILAS-INC.com)

**Asia**  
DILAS Diodenlaser GmbH  
China Sales Office  
Room 206, Sunplus Technology, Bldg. 2  
No. 1077 Zu Chongzhi Road  
Hi-Tech Park, Shanghai 201203,  
P.R. China  
Phone: +86 (0) 21-6855-2216  
Fax: +86 (0) 21-5027-3793  
Email: [sales@dilas-china.com.cn](mailto:sales@dilas-china.com.cn)



# Example of CS3.1-809.9-VO35.1-E9.1.10

P ( 200 A)	1461,7 W	Wavelength (FWHM)	809,9 nm
I ( 1400,0 W)	191,0 A	Line width	3,3 nm
Threshold	17,4 A	Temperature	25,1 °C
Slope	9,18 W/A	Current	200,3 A
Overall efficiency	53,1 %	DutyCycle	4,000 %
UF	13,81 V	Frequency	200,0 Hz
UE	11,48 V		
Rs	12,2 mOhm		



© 2009 DILAS. All rights reserved. DILAS reserves the right to change products specifications without notice. For handling precautions, please reference the general handling instruction manual.

For complete details, please contact your local DILAS sales representative or visit our website at [www.DILAS.com](http://www.DILAS.com).



**Europe**  
DILAS Diodenlaser GmbH  
Galileo-Galilei-Straße 10  
55129 Mainz  
Germany  
Phone: +49 (6131) 9226 0  
Fax: +49 (6131) 9226 257  
Email: [sales@DILAS.de](mailto:sales@DILAS.de)

**North America**  
DILAS Diode Laser, Inc.  
9070 South Rita Road  
Suite 1500  
Tucson, AZ 85747  
Phone: +1 (520) 232-3484  
Fax: +1 (520) 232-3499  
Email: [sales@DILAS-INC.com](mailto:sales@DILAS-INC.com)

**Asia**  
DILAS Diodenlaser GmbH  
China Sales Office  
Room 206, Sunplus Technology, Bldg. 2  
No. 1077 Zu Chongzhi Road  
Hi-Tech Park, Shanghai 201203,  
P.R. China  
Phone: +86 (0) 21-6855-2216  
Fax: +86 (0) 21-5027-3793  
Email: [sales@dilas-china.com.cn](mailto:sales@dilas-china.com.cn)

# Example of C3Y-935.7-VO51.1-E32.1.15

P ( 300 A)	2463,1 W	Wavelength (FWHM)	935,7 nm
I ( 2400,0 W)	292,7 A	Line width	5,7 nm
Threshold	15,2 A	Temperature	19,6 °C
Slope	8,65 W/A	Current	297,4 A
Overall efficiency	54,0 %	DutyCycle	1,000 %
UF	15,17 V	Frequency	3,6 Hz
UE	11,41 V		
Rs	12,9 mOhm		



©2009 DILAS. All rights reserved. DILAS reserves the right to change products specifications without notice. For handling precautions, please reference the general handling instruction manual.

For complete details, please contact your local DILAS sales representative or visit our website at [www.DILAS.com](http://www.DILAS.com).



**Europe**  
DILAS Diodenlaser GmbH  
Galileo-Galilei-Straße 10  
55129 Mainz  
Germany  
Phone: +49 (6131) 9226 0  
Fax: +49 (6131) 9226 257  
Email: [sales@DILAS.de](mailto:sales@DILAS.de)

**North America**  
DILAS Diode Laser, Inc.  
9070 South Rita Road  
Suite 1500  
Tucson, AZ 85747  
Phone: +1 (520) 232-3484  
Fax: +1 (520) 232-3499  
Email: [sales@DILAS-INC.com](mailto:sales@DILAS-INC.com)

**Asia**  
DILAS Diodenlaser GmbH  
China Sales Office  
Room 206, Sunplus Technology, Bldg. 2  
No. 1077 Zu Chongzhi Road  
Hi-Tech Park, Shanghai 201203,  
P.R. China  
Phone: +86 (0) 21-6855-2216  
Fax: +86 (0) 21-5027-3793  
Email: [sales@dilas-china.com.cn](mailto:sales@dilas-china.com.cn)

# Example of C3Y-939.9-VO51.1-E32.1.15

P ( 300 A)	2429,9 W	Wavelength (FWHM)	939,9 nm
I ( 2400,0 W)	296,5 A	Line width	7,5 nm
Threshold	15,4 A	Temperature	19,6 °C
Slope	8,54 W/A	Current	297,4 A
Overall efficiency	53,1 %	DutyCycle	2,800 %
UF	15,24 V	Frequency	10,0 Hz
UE	11,33 V		
Rs	13,2 mOhm		



© 2009 DILAS. All rights reserved. DILAS reserves the right to change products specifications without notice. For handling precautions, please reference the general handling instruction manual.

For complete details, please contact your local DILAS sales representative or visit our website at [www.DILAS.com](http://www.DILAS.com).

**Europe**  
DILAS Diodenlaser GmbH  
Galileo-Galilei-Straße 10  
55129 Mainz  
Germany  
Phone: +49 (6131) 9226 0  
Fax: +49 (6131) 9226 257  
Email: [sales@DILAS.de](mailto:sales@DILAS.de)

**North America**  
DILAS Diode Laser, Inc.  
9070 South Rita Road  
Suite 1500  
Tucson, AZ 85747  
Phone: +1 (520) 232-3484  
Fax: +1 (520) 232-3499  
Email: [sales@DILAS-INC.com](mailto:sales@DILAS-INC.com)

**Asia**  
DILAS Diodenlaser GmbH  
China Sales Office  
Room 206, Sunplus Technology, Bldg. 2  
No. 1077 Zu Chongzhi Road  
Hi-Tech Park, Shanghai 201203,  
P.R. China  
Phone: +86 (0) 21-6855-2216  
Fax: +86 (0) 21-5027-3793  
Email: [sales@dilas-china.com.cn](mailto:sales@dilas-china.com.cn)